



**Rubrik CDM
Release Notes
Version 8.1
755-0252-01 Rev A25
November 21, 2023**

rubrik®

| | |
|--|----|
| Introduction..... | 2 |
| New features..... | 2 |
| Release 8.1.3-p4 new features..... | 3 |
| Release 8.1.3 new features..... | 3 |
| Release 8.1.1 new features..... | 3 |
| Version 8.1.3-p5 fixed issues..... | 4 |
| Version 8.1.3-p4 fixed issues..... | 4 |
| Version 8.1.3-p3 fixed issues..... | 5 |
| Version 8.1.3-p2 fixed issues..... | 6 |
| Version 8.1.3-p1 fixed issues..... | 7 |
| Version 8.1.3 fixed issues..... | 8 |
| Version 8.1.2-p2 fixed issues..... | 11 |
| Version 8.1.2-p1 fixed issues..... | 12 |
| Version 8.1.2 changes and fixed issues..... | 14 |
| Version 8.1.1-p1 changes and fixed issues..... | 17 |
| Version 8.1.1 fixed issues..... | 19 |
| Version 8.1.0-p2 fixed issues..... | 23 |
| Version 8.1.0-p1 fixed issues..... | 24 |
| Version 8.1.0 fixed issues..... | 24 |
| Technical notes..... | 32 |
| Rubrik CDM 8.1.1 API Changelog..... | 32 |
| Changelog for internal endpoints..... | 32 |
| Changelog for v1 endpoints..... | 32 |
| Rubrik CDM 8.1.0 API Changelog..... | 33 |
| Changelog for internal endpoints..... | 33 |
| Changelog for v1 endpoints..... | 33 |
| Changelog for v2 endpoints..... | 35 |
| Changelog for v3 endpoints..... | 36 |
| Compatibility Matrix..... | 36 |
| Support..... | 36 |
| Comments and suggestions..... | 36 |

Introduction

These release notes contain supplemental information about the General Availability release of Rubrik CDM version 8.1.

New features

Rubrik CDM version 8.1 has new features.

| Feature | Description |
|--|--|
| Mandatory TOTP | Rubrik CDM 8.1 adds a notification banner to the Rubrik CDM web UI informing of a pending change that requires the use of a time-based one-time password (TOTP) multi-factor authentication (MFA) when upgrading beyond Rubrik CDM 8.1. |
| Archival Reader with Replication Coexistence | Rubrik CDM 8.1 supports coexistence of both replication and reader archival on Rubrik clusters. Contact Rubrik Support to use both these features simultaneously. |
| IBM COS Support | Rubrik CDM 8.1 supports bucket level immutability with IBM COS cloud storage as an additional level of security for data stored within those cloud buckets. When using immutable buckets on IBM COS cloud storage, Rubrik enforces checks to align retention duration with immutability lock period. |
| Support for AWS GIR Storage Class Archival with Immutability | Rubrik now supports archival to the Amazon S3 Glacier Instant Retrieval storage class. This new storage class delivers faster access and lower storage costs than S3 Standard-IA, while still offering the same low latency data retrieval times as S3 Standard and S3 Standard-IA storage classes. |
| Support for Envoy NG Dual NIC mode and Envoy CLI | <p>Envoy Dual NIC (Bridge Mode) - For multi-tenant environments for which an organization network NAT firewall configuration is unavailable or undesirable, a second NIC may be added to Envoy and connected to a shared provider routing space. This second NIC will need to be able to reach the Rubrik cluster either through a directly connected (Layer 2) network or a routed (Layer 3) connection.</p> <p>Envoy CLI - Envoy provides a hardened CLI using a local 'admin' user to enable common configuration and troubleshooting tasks, without providing full root or bash shell access. The CLI is accessible either through the hypervisor console of the Envoy VM appliance, or the SSH for Envoy appliances that are already network connected.</p> |
| Edge on KVM | Rubrik CDM 8.1 adds support for kernel-based virtual machines (KVM) as a platform for Edge. |
| Autofill of parameters | Rubrik now supports autofill of previous configuration in case of bootstrap failures so that the user does not need to fill in information from scratch. |
| Power status of virtual machines recovered using the Export option | Rubrik CDM 8.1 changes the default initial power state for vSphere virtual machines recovered using Export to Powered Off. You can change this setting to Powered On when you initiate the export. This initial state cannot be changed when exporting virtual machines through the Rubrik CDM web UI, but can be changed when exporting through Rubrik Security Cloud (RSC) or when using the Rubrik CDM API. |
| DB2 HA/DR support | Rubrik supports backup and recovery of Db2 databases configured in High Availability/ Disaster Recovery mode. |
| Support for pausing to in-progress replication jobs | Data transfer is halted when paused, and remains in that state until transfer is resumed. This feature is highly beneficial in replicating large workloads. |

| Feature | Description |
|-----------------------------|--|
| Bootstrap hardening | Rubrik has improved the overall bootstrap experience by introducing new features like additional prechecks, better error messaging, and self served retries for bootstrap failures. |
| Edge Deployment tool | Rubrik now supports Edge deployment with a tool for single and scale deployments. This tool, integrated with Rubrik Security Cloud (RSC), provides an easy-to-use Rubrik Edge deployment experience. |
| Intelligent Data Lock (IDL) | In certain cases, Rubrik retains data beyond expiration due to unexpected activity. If you believe data has been deleted due to suspicious activity, please contact Rubrik Support. |

Release 8.1.3-p4 new features

Rubrik CDM version 8.1.3-p4 has new features.

| Feature | Description |
|--|--|
| Updated firmware package for r6000 series Briks. | Rubrik CDM 8.1.3-p4 includes an updated firmware package that you should apply to address the Supermicro BMC firmware vulnerability CVE-2023-40284 on r6000 series Briks. You can update the firmware by running the Rubrik CLI command <code>cluster update_firmware</code> . The <i>Rubrik CDM CLI Guide</i> describes Rubrik CLI command usage. |

Release 8.1.3 new features

Rubrik CDM version 8.1.3 has new features.

| Feature | Description |
|---|---|
| Automatic Recoverability support for Cloud Cluster Elastic Storage (CCES) | Beginning in Rubrik CDM 8.1.3-p1, Cloud Cluster Elastic Storage (CCES) metadata, with immutability enabled, is now automatically uploaded to your CCES bucket. Technical notes provides more information. |

Release 8.1.1 new features

Rubrik CDM version 8.1.1 has new features.

| Feature | Description |
|---|---|
| Non-aligned deduplication for SAP HANA | Rubrik CDM 8.1.1 adds non-aligned deduplication support for SAP HANA workloads. For newly added workloads, non-aligned deduplication will be used by default. Replication of such workloads to clusters older than Rubrik CDM 8.1.1 is not supported. |
| Snapshot downloads from cascading archival location | You can now download a snapshot from a cascading archive. The <i>Rubrik CDM User Guide</i> provides further details. |
| Support for SQL Server 2022 | Rubrik CDM now supports SQL Server 2022 for Rubrik CDM versions 8.1.1 and later. |

Version 8.1.3-p5 fixed issues

Rubrik CDM version 8.1.3-p5 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|------------|--|
| CDM-407142 | Primary NAS share protection cannot be removed from the UI. |
| CDM-406297 | Not receiving email notification when a vCenter is disconnected. |
| CDM-405838 | MDS sync between Rubrik Security Cloud (RSC and Rubrik CDM. |
| CDM-404536 | No response when running <code>resize_disk</code> from admin / rkcli shell. |
| CDM-404511 | Snapshot job remains in QUEUED state. |
| CDM-404219 | Rolling upgrade not handling when a node is removed and the custom node name is re-used. |
| CDM-404105 | Fileset verification job can cause unexpected backup job failures. |
| CDM-403944 | Db2 full HADR primary database restore failures. |
| CDM-403865 | When trying to delete a snapshot downloaded from archive, the whole snapshot would be deleted whereas only the local copy of the snapshot should be deleted. |
| CDM-403806 | Stuck sync catalog job. |
| CDM-403448 | Unable to add export permission require, resulting in restore job failing. |
| CDM-403241 | Cluster-wide firmware upgrade failure with error message, 'ERROR! Specified hosts and/or --limit does not match any hosts'. |
| CDM-401335 | Oracle files-only restore fails to copy over log files to remote host. |
| CDM-400825 | Snapshots retained on local beyond the local retention configured in the SLA Domain. |
| CDM-399597 | Ansible interpreter discovery displays superfluous error messages. |
| CDM-399183 | Recoverable chain breaks with standby backups if a primary database instance is shut down. |
| CDM-396130 | Exclusion rules not working in fileset. |
| CDM-391282 | 'Use no proxy' checkbox does not persist for Google archival locations. |
| CDM-331145 | Database log backup job failure. |

Version 8.1.3-p4 fixed issues

Rubrik CDM version 8.1.3-p4 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|------------|---|
| CDM-404179 | RSC fails to connect Isilon system with a "username or password error." |
| CDM-403489 | Getting FilesetSnapVerificationEpicFPMismatch error on server. |
| CDM-403382 | SAP HANA backup user password containing } results in connection failure. |
| CDM-402842 | When NAS shares are migrated from CDM to RSC, duplicate shares are listed with the same name. |

| Ticket | Issue |
|------------|---|
| CDM-401880 | Upgrade to Rubrik CDM 8.1.3-p3 is not successful. |
| CDM-401859 | Unable to perform a backup on Db2. The error message appears: "This command cannot be submitted on a non-catalog node." |
| CDM-401200 | Schema upgrade takes a very long time to complete. |
| CDM-401197 | Rubrik Backup Service running on Oracle Solaris disconnects after upgrade from Rubrik CDM 7.0.2 to Rubrik CDM 8.1.3. |
| CDM-401128 | Disk is missing post upgrade. |
| CDM-401069 | SQL backups not replicating according to SLA Domain settings. |
| CDM-401066 | Exporting a snapshot to a Standalone ESXi 8.0+ host displays a "not supported" message. |
| CDM-400762 | Rubrik Backup Service agent is making superfluous requests to an AppFlows service. |
| CDM-398797 | Performance slowdown due to excess LDAP calls. |
| CDM-371700 | Snapshots are not expiring, resulting in failures for new backups of some objects. |
| CDM-370012 | VMware backups are not getting scheduled. |

Version 8.1.3-p3 fixed issues

Rubrik CDM version 8.1.3-p3 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|------------|---|
| CDM-400767 | Files that encountered error during backup were not listed in job report. |
| CDM-400227 | Log upload jobs are stuck for archived database. |
| CDM-399828 | Backup job failed during end to end fingerprint validation. |
| CDM-399150 | Database refresh is failing if the database is on a host with multiple dbs. |
| CDM-398475 | Add node fails with error message: "This is not a Cloud Cluster node. Aborting" |
| CDM-397648 | Snapshot download from archival location fails. |
| CDM-396869 | Log deletion failure log messages appear in log backups. |
| CDM-392372 | Bugfix for a Kronos CrDB's time-service) was attempted at a much higher level in CDM cluster-config service. |
| CDM-390503 | A vSphere virtual machine, after export, causes the original virtual machine to lose its network connectivity for brief time. |
| CDM-387702 | Unable to add Powerscale (Isilon) NAS host running OneFS 9.5. |
| CDM-385655 | Apache Cassandra partition will stay small size for cluster going through dense migration. |
| CDM-369630 | An extra snapshot was taken due to daylight savings time. |
| CDM-344133 | Rubrik Security Cloud(Rubrik Security Cloud)banner in the Rubrik CDM UI contains malformed URL. |

Version 8.1.3-p2 fixed issues

Rubrik CDM version 8.1.3-p2 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|------------|--|
| CDM-398106 | Proxy is configured but not enforced in the OAuth key exchange of online registration. |
| CDM-397817 | Db2 delete instance job interrupted by Db2 instance refresh job. |
| CDM-397457 | Disks are marked as missing after upgrading to Rubrik CDM 8.1.3-p1. |
| CDM-396887 | Unexpected fileset snapshot verification alert is generated due to premature file closures. |
| CDM-396860 | Disks replaced are not identified correctly. |
| CDM-396772 | Cassandra snapshot partition is 100% full. |
| CDM-396683 | Backup job failed during RU |
| CDM-395791 | Envoy is offline and cannot be accessed, failing with "OSError: [Errno 28] No space left on device" error. |
| CDM-395758 | Network interfaces configuration change for 10G, full duplex, autonegotiation off are not being applied correctly when using "network ethtool". |
| CDM-395328 | Update target cluster will fail during source cluster refresh, when target cluster has higher maxSeqnum than source, and has a lower cluster seq number. |
| CDM-395017 | Add node fails on password-based encrypted RVC. |
| CDM-394861 | Clone volumes and volume snapshots used for backups are left over in the ONTAP system after completion of backups. |
| CDM-394354 | Failures in MSSQL_LOG_REPLICATION and MSSQL_LOG_UPLOAD due to missing or incomplete data.fingerprint file. |
| CDM-394325 | Archival snapshots fail to download. |
| CDM-394141 | QStar location mounts not recovering automatically after getting stale. |
| CDM-393512 | Relic NAS-DA snapshots are unable to be tiered to Glacier Deep Archive. |
| CDM-393037 | URL in banner about upgrading to Rubrik CDM 9.0 is not operational. |
| CDM-392820 | Admin CLI support log_view failing to operate properly after upgrading to Rubrik CDM 8.1.2. |
| CDM-391965 | Archival recovered workflows are not visible in the Rubrik CDM UI. |
| CDM-391865 | The used archival capacity is increasing sharply after upgrading to Rubrik CDM 8.1.2-p1. |
| CDM-391859 | Email notifications are failing to send. |
| CDM-391765 | Multiple VCD backups are running for long periods of time then failing. |
| CDM-391448 | Database entries are duplicated when adding all hosts of a Data Access Group (DAG) in the same API. |
| CDM-391011 | Disk remains in pre-removal state, also experiencing space issue. |
| CDM-390954 | Unable to export vApp snapshot because the vApp virtual machine failed to mount. |

| Ticket | Issue |
|------------|---|
| CDM-390642 | Export to host option is missing for replicated snapshots. |
| CDM-390514 | Cascading archival fails for Exchange workflow. |
| CDM-381953 | Attempt to create S3 Immutable location with Endpoint URL configured fails with "The specified bucket does not exist", or "The specified bucket is not valid. (Service: Amazon S3; Status Code: 400; Error Code: InvalidBucketName; Request ID: <some-id-here>; S3 Extended Request ID: <longer-id-here>; Proxy: null)" errors. |
| CDM-380745 | Request to register Rubrik cluster with SDFC so that it will appear in the Support Portal. |
| CDM-371531 | Failure to associate cluster uuid to its node. |
| CDM-369654 | Unable to see any filtered object name after filtering on an Oracle Database object. |

Version 8.1.3-p1 fixed issues

Rubrik CDM version 8.1.3-p1 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|---------------------------|--|
| CDM-396305, CDM-385876 | Rubrik CDM clusters are unable to sync with Rubrik Security Cloud (RSC) due to the installation of a TLS intercepting proxy. |
| CDM-394613 | Permissions on /var/log/rubrik/script_log/<SUB_DIRECTORY> revert to 777 during a backup. |
| CDM-394094 | Customers see `EdgeCorruptionChecker` policy failure notifications. |
| CDM-394067 | Upgrade precheck failure due to data disk size check. |
| CDM-393826 | The Oracle recoverable chain is broken for a Data Guard primary RAC database when an instance is shut down. |
| CDM-393350 | Rubrik Backup Service (RBS) agent crashes after service restart with failure message SIGSEGV (BackupAgentUtils::GetUniqBlacklistPaths()). |
| CDM-393315 | Upload job stuck in FINISHING state. |
| CDM-393019 | Installation and upgrade failures for Rubrik CDM versions 8.1.2 and later. |
| CDM-392822 | AIX host is generating excessive logs. |
| CDM-392716 | Intermittent refresh failures. |
| CDM-392582 | Live Mounts may fail on MSSQL after upgrade to Rubrik CDM 8.1.2. |
| CDM-391992 | Rollforward with end of logs not working until noretrieve is specified. |
| CDM-391126 | User missing notifications of a specific type. |
| CDM-391005 | Expiry job failures. |
| CDM-389066 | Bootstrap failures triggered with install from target Rubrik CDM versions 8.0.3 and later. Error message is "Bootstrap failed - Error setting up the Rubrik cluster : requirement failed: Password Hash and Salt required to create Admin User". |
| CDM-388753 | Snapshot information was not displayed due to an API failure. |

| Ticket | Issue |
|------------|---|
| CDM-386854 | Discovery fails on access zone shares when multiple Auth providers are present in the same access zone. |
| CDM-386130 | Latency in Exchange mount share input/output. |
| CDM-384771 | VMware backup impacts the performance of a virtual machine. |
| CDM-381953 | Attempt to create S3 Immutable location with Endpoint URL configured fails with error message: `The specified bucket does not exist` or `The specified bucket is not valid. (Service: Amazon S3; Status Code: 400; Error Code: InvalidBucketName; Request ID: <some-id> S3 Extended Request ID: (longer-id>; Proxy: null)`. |
| CDM-371541 | After upgrading to Rubrik CDM version 7.0.4, users found some queries become slow, including the endpoints of global search, hierarchy object search, virtual machine listing, etc. The issue only happens to users who assigned specific custom roles. This issue can affect both local and LDAP users. |
| CDM-370938 | Bypass proxy not working for GCP archival location |
| CDM-369661 | Node sensor data disappears, causing hw_health errors. The node can also lose OOB key and FRU data. |
| CDM-363666 | JFL Health-Monitor policy fails due to an internal service being non-responsive causing a node to be marked as BAD. |
| CDM-336168 | A fix to resolve inherited SLA Domain assignment did not resolve the issue of virtual machines being granted a direct assigned SLA Domain. |
| CDM-303015 | Continuous Data Protection (CDP) causes a virtual machine to crash. |

Version 8.1.3 fixed issues

Rubrik CDM version 8.1.3 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|---------------------------|---|
| CDM-396305, CDM-385876 | When TLS interception is enabled for Rubrik CDM outgoing connections, some upload jobs from the Rubrik CDM will fail. |
| CDM-388974 | Encounter conversion failure on Windows Server virtual machine when trying to delete Windows registry key `Software\Policies\Microsoft\Windows\Powershell`. |
| CDM-386884 | PARALLELIZED_REFRESH_ARCHIVAL_DATA_LOCATION job fails to refresh metadata for a few workload objects. |
| CDM-386451 | Snapshot uploads might fail with an internal error for objects in an SLA Domain that have instant tiering enabled. |
| CDM-383747 | Enable Archive Consolidation is disabled while editing the archival location. |
| CDM-382284 | The parallel upload job remains in the canceling state. |
| CDM-371511 | Warning messages appear stating that archival locations are in a paused state and not enabled in the SLA Domain. |
| CDM-370589 | Upload jobs to an Azure archival location may fail due to intermittent read failures caused by partial reads when the network connectivity is not stable. |
| CDM-370079 | Download jobs are frozen after downloading the patch files. |

| Ticket | Issue |
|------------|---|
| CDM-368279 | Attempts to download snapshots by a regular user fails. |
| CDM-381906 | Not able to mount SMB shares intermittently. |
| CDM-383856 | A non-admin user cannot login to the Rubrik CDM. |
| CDM-360182 | Customer reports potential secure connection errors with the following log message - Digest-MD5 not supported by LDAP server. Fallback to insecure SimpleBindRequest. |
| CDM-368707 | A dip is occurring in the local snapshot storage graph at the current time. |
| CDM-384434 | Snapshot uploads might get postponed. |
| CDM-389809 | VMware Live Mount fails after upgrading from Rubrik CDM 8.0.2 to Rubrik CDM 8.0.3-p6. |
| CDM-382445 | Virtual machines belonging to different vCenter/replication clusters are listed as part of advance tag creation. |
| CDM-328166 | VMware snapshot holding time for array integrated backups take longer than expected. |
| CDM-308606 | Replication does not work after a virtual machine failover. |
| CDM-386110 | Intermittent backup failures. |
| CDM-361999 | Refresh job failure. |
| CDM-383721 | Live mounts are taking too long to complete. |
| CDM-365959 | T-log chain is being broken despite successful log backup jobs. |
| CDM-385064 | Starting backups failing because of timeout. |
| CDM-384588 | SAP HANA backups are failing with error "Exception: No more data to read". |
| CDM-380852 | Rubrik Backup Service crashes repeatedly on SAP HANA secondary host. |
| CDM-379891 | Out of memory (OOM) crashes on nodes. |
| CDM-349088 | CREATE_SAP_HANA_FULL_SNAPSHOT jobs regularly failing on the ECS Tenant database. |
| CDM-390941 | Missing incremental backups and the log recovery chain being broken due to lack of database backup making it difficult for recovery. |
| CDM-384130 | JFL restart in Oracle log snapshot job and large number of entries in v\$archived_log view. |
| CDM-382802 | Oracle libinject log files are growing rapidly and filling up the /var partition on the Oracle host. |
| CDM-380939 | Oracle log snapshots which were uploaded to the archival location are not able to be read at recovery time as a subset of the archived logs which were downloaded from Azure could not be copied to the Oracle host without an I/O error. |
| CDM-370605 | The request endpoint to pull job status for an Oracle job will return the job status only for a day, and then the job status cannot be found once the job is archived on the underlying job tables. |
| CDM-369475 | Large number/size of audit files were generated after upgrading to Rubrik CDM 8.0.3. |
| CDM-368535 | The database backup job fails with NumFilesMismatch error. |
| CDM-367600 | Discovery failing for all databases after a restart. |

| Ticket | Issue |
|------------|---|
| CDM-349903 | If the on-demand database backup is taken with some SLA Domain that has replication enabled, and the effective SLA Domain of that database is unprotected, the database snapshot will be replicated, but the log snapshot will not be replicated, making the on-demand database snapshot no use on the replication/DR site. |
| CDM-348563 | JFL is crashing on Rubrik nodes causing backup jobs to fail repeatedly. |
| CDM-341640 | On-demand Oracle database snapshots taken with a custom SLA Domain are not recoverable from reader location. |
| CDM-339693 | SPFILE creation fails because the corresponding directory is not present in the target on ASM. |
| CDM-308261 | Host addition being completed even when databases aren't discovered. |
| CDM-307394 | Downloading a database snapshot of a RAC database from archive to a reader indicates a failed download even when successful. |
| CDM-304724 | The database backup job fails with NumFilesMismatch error. |
| CDM-389713 | Not all Isilon interfaces are discovered. |
| CDM-388561 | Replicated NAS Systems are not readonly. |
| CDM-388097 | MHC refresh crashes when NAS shares without valid data interfaces are protected. |
| CDM-387523 | When upgrading to Rubrik CDM 8.1.1-p1, hosts are also auto-upgraded and some files are showing in two locations. |
| CDM-384939 | You are required to refresh manually to check database updates status. |
| CDM-384294 | File recovery from clustered fileset to host is failing |
| CDM-382561 | Could not migrate archived filesets. |
| CDM-371642 | gethostname system call was not thread safe, Using thread safe API i.e gethostbyname_r |
| CDM-371541 | After upgrading to Rubrik CDM version 7.0.4, users found some queries become slow, including the endpoints of global search, hierarchy object search, virtual machine listing, etc. The issue only happens to users who are assigned specific custom roles. This issue can affect both local and LDAP users. |
| CDM-369768 | NAS Fileset jobs may fail or run for a long time due to internal backup agent restart. |
| CDM-365544 | Agent server crashes randomly. |
| CDM-363787 | Unable to auto add shares. |
| CDM-362899 | Unselected NAS shares are available as a restore target. |
| CDM-360179 | After upgrading to Rubrik CDM 8.0.3-22687, an alert for "Policy 'NfsKernelServer' failures are at the critical level." appears. |
| CDM-348709 | NAS SMB Fileset on Nutanix Distributed Storage Fabric can get stuck due to loop in DFS referrals. |
| CDM-364749 | Upload job of Windows Volume group fails due to an incorrect logical size of a volume. |
| CDM-389460 | Upgrade from Rubrik CDM 8.0.3-p5 to Rubrik CDM 8.1.2 causes nodes to go missing. |
| CDM-387730 | The 'replace_node' is failing with exception. |

| Ticket | Issue |
|------------|--|
| CDM-388876 | Udev rules have the wrong PCIe enumeration resulting in connectivity loss after upgrading. |
| CDM-387335 | The Locate Disk option and the 'find_bad_disk' script, do not turn ON the RED LED for disks that are reported bad by 'hw_health' and 'find_bad_disk'. |
| CDM-333682 | SSFD displays errors with open filesSSF Client was leaking memory when periodically enforcing erroneous rules because the 'target hostname was not resolvable'. |
| CDM-389173 | Precheck script fails with error message, "FstabAndMount pre-check FstabAndMount pre-check has failed. Contact Rubrik support at support@rubrik.com for assistance. Error Code: RBK9109002." |
| CDM-385137 | Disk mounted RO not repaired correctly and is in a loop of ACTIVE -> PRE_REPAIR until it is marked PRE_REMOVAL. |
| CDM-385369 | Drive falsely transitioned to FAILED state. |
| CDM-384303 | Node status reported healthy even when a disk on the node is in the MISSING status. |
| CDM-389808 | Smooth node add is failing with new node on a Rubrik CDM version that is not at least CDM 8.1.2. |
| CDM-385328 | Not able to configure replication. |
| CDM-385016 | Not able to configure replication target. |
| CDM-383766 | The cascaded archival policy was visible in the remote SLA Domain detail page but not while editing it. |
| CDM-382728 | CIFS generating kernel panic resulting stale nodes. |
| CDM-370783 | The snapshot API may return information about wrong snapshot. |
| CDM-368130 | Snapshot showing as downloadable even though it was never replicated on target. |
| CDM-388539 | Backup jobs stuck in FINISHING state. |
| CDM-385802 | In TPR requests, the type of Do Not Protect SLA Domain (Preserve retention, Keep forever, Expire immediately) assignment is not shown. |
| CDM-381717 | Multiple expired jobs stuck in FINISHING state. |
| CDM-370671 | When backups are running, nodes are crashing and restarting. |
| CDM-369410 | Snapshots are not expiring due to 'isRetainedByIdl = true' field. |
| CDM-385978 | CDP failure after cluster upgrade. |
| CDM-381892 | Customer reports Golang version displays security vulnerability alerts in customer scans. |

Version 8.1.2-p2 fixed issues

Rubrik CDM version 8.1.2-p2 includes general security improvements and the fixes listed in the following table.

| Ticket | Issue |
|------------|---|
| CDM-389809 | VMware Live Mount fails after upgrade from Rubrik CDM 8.0.2 to Rubrik CDM 8.0.3-p6. |

| Ticket | Issue |
|---------------------------|--|
| CDM-388974 | There is a conversion failure on Windows server virtual machine when trying to delete Windows registry key `Software\Policies\Microsoft\Windows\Powershell`. |
| CDM-388097 | ManagedHierarchyCache refresh crashes when NAS shares without valid data interfaces are protected. |
| CDM-387730 | Cannot re-add node to the cluster due to replace_node failing with exception. |
| CDM-396305, CDM-385876 | When TLS interception is enabled for Rubrik CDM outgoing connections, some upload jobs from the Rubrik cluster will fail. |
| CDM-386884 | PARALLELIZED_REFRESH_ARCHIVAL_DATA_LOCATION job fails to refresh metadata for a few snappables. |
| CDM-384939 | Host refresh job ID not provided causing the host refresh to be done manually to check the update status. |
| CDM-386110 | Intermittent VCD backup failures. |
| CDM-381906 | Customers are unable to mount SMB shares intermittently. |
| CDM-365959 | T-log chain is being broken despite successful log backup jobs. |

Version 8.1.2-p1 fixed issues

Rubrik CDM version 8.1.2-p1 includes general security improvements and the fixes listed in the following table.

| Ticket | Issue |
|------------|---|
| CDM-388561 | Replicated NAS systems are not readonly. |
| CDM-385978 | CDP failure after cluster upgrading to Rubrik CDM 8.1.1. |
| CDM-385328 | Replication unable to resume due to a timeout error. |
| CDM-385137 | Disk mounted RO not repaired correctly and is in a loop of ACTIVE > PRE_REPAIR until it is marked PRE_REMOVAL. |
| CDM-385016 | The operation on the target cluster takes a long time due to not being able to reach archival location, which is required to be verified to avoid any reader + replication conflicts. |
| CDM-384771 | VMware backup has impact on virtual machine's performance. |
| CDM-384303 | Node status reported healthy even when a disk on the node is in the MISSING status. |
| CDM-384294 | File recovery from clustered fileset to host is failing. |
| CDM-383856 | Customer unable to use custom roles as it will not allow Rubrik CDM access from Rubrik Security Cloud (RSC). |
| CDM-382802 | Oracle libinject log files are growing rapidly and filling up the /var partition on the Oracle host. |
| CDM-382728 | Nodes go stale due to kernel panic. |
| CDM-382561 | Unable to migrate shares due to fileset marked as 'archived'. |
| CDM-381520 | AIX agent upgrade does not recreate agent restart crontab job. |

| Ticket | Issue |
|------------|--|
| CDM-380939 | Oracle log snapshots which were uploaded to the archival location are not able to be read at recovery time as a subset of the archived logs which were downloaded from Azure could not be copied to the Oracle host without facing an I/O error. |
| CDM-379891 | OOM crashing on three nodes. |
| CDM-371673 | Cannot view share permission tab for org_admin. |
| CDM-371642 | Fileset backup failure and agent-server service crashes on several nodes. |
| CDM-371511 | Upload jobs not uploaded to certain archival locations as these locations were in a 'paused' state and not enabled in the SLA. |
| CDM-370783 | The snapshot API may return information about wrong snapshot. |
| CDM-370605 | The request endpoint to pull job status for an Oracle job will return the job status only for a day, and then the job status cannot be found once the job is archived on the underlying job tables. |
| CDM-370589 | The upload jobs to an Azure archival location may fail due to intermittent read failures caused by the partial reads when the network connectivity is not stable. |
| CDM-370079 | Download jobs get stuck after downloading most of the patch files. |
| CDM-369584 | The AIX RBS service does not come up on host reboot. |
| CDM-369475 | Large number of audit files were generated after the upgrade. |
| CDM-369410 | Snapshot is not getting expired due to isRetainedByIdl = true field. |
| CDM-365544 | Agent server crashes from time to time. |
| CDM-363787 | Nutanix shares not getting auto discovered and added to cluster. |
| CDM-361999 | Unable to validate that they can restore from a secondary Rubrik CDM that is connected as an archival reader. |
| CDM-360182 | Customer reports potential secure connection errors with the following log message - Digest-MD5 not supported by LDAP server. Fallback to insecure SimpleBindRequest. |
| CDM-360179 | NFS RPC timing out due to the internal agent crashing. |
| CDM-348563 | JFL is crashing on Rubrik nodes causing backup jobs to fail repeatedly. |
| CDM-328166 | VMware snapshot holding time for array integrated backups take longer than expected. |
| CDM-310260 | Added new TOTP lockout feature for LDAP users to avoid brute forcing TOTP secrets |
| CDM-308606 | Replication does not work after virtual machine is failovered. |
| CDM-304724 | The Oracle DB backup job fails with NumFilesMismatch error. |

Version 8.1.2 changes and fixed issues

Rubrik CDM version 8.1.2 includes general security improvements, the changes listed below, and fixes to the following issues.

Version 8.1.2 changes

| Change | Description |
|--|---|
| Support for legal hold on SAP HANA | As of Rubrik CDM 8.1.2, legal hold is supported on SAP HANA. Legal hold for SAP HANA is supported only for full backups and is not supported for incremental, differential, and log backups. This functionality is managed through Rubrik Security Cloud (RSC). The <i>Rubrik Security Cloud User Guide</i> provides further details. |
| Support for downloading a snapshot from replication target on SAP HANA | As of Rubrik CDM 8.1.2, downloading a snapshot from a replication target is supported on SAP HANA. This functionality is managed through Rubrik Security Cloud (RSC). The <i>Rubrik Security Cloud User Guide</i> provides further details. |

Version 8.1.2 fixed issues

| Ticket | Issue |
|------------|---|
| CDM-384303 | Node status reported healthy even when a disk on the node is in the MISSING status. |
| CDM-383721 | Microsoft SQL Server live mount performance issues post upgrade to CDM v8.1.1-p1-24326. |
| CDM-383661 | Cluster install command pauses while waiting for node reboot when installing CDM 8.1.1-p1 version from earlier versions. |
| CDM-383440 | Writes to SDFS failing because all underlying disks were full. |
| CDM-382272 | Unable to back up managed volumes after upgrading to Rubrik CDM 8.1.2. |
| CDM-380992 | Invoke-VMScript returns authentication error when starting Rubrik CDM 7.0.1. |
| CDM-380862 | Password requirements not honored with update password option. |
| CDM-380525 | Failed to export recovered NSF file to new node. |
| CDM-380486 | Customer is seeing potential vulnerabilities in the following third party packages: 'ntp2', 'log4j3', 'golang4', 'openssh-client, openssh-server, openssh-sftp-server'. |
| CDM-380210 | Rubrik Agent is not using systemd on AlmaLinux 8. |
| CDM-371778 | Getting alerts for disk transitions incorrectly set to FAILED even when REPAIR of disks succeeds. |
| CDM-370663 | Tracing agent was not starting due to port conflict with another service. |
| CDM-370475 | Memory issues due to high inode utilization. |
| CDM-370396 | Unable to delete replication pair. |

| Ticket | Issue |
|---------------------------|--|
| CDM-370370 | Replication fails for newly added SAP HANA databases after upgrade to Rubrik CDM 8.1.1. |
| CDM-369966 | Live Mount fails to create virtual machine, resulting in Invalid Configuration error. |
| CDM-369819 | Cannot assign RSA as MFA for two-person rule (TPR) users via UI. |
| CDM-368935 | RAM value shows much higher than actual value. |
| CDM-368922 | Enhancement in recent versions of the Admin CLI prevents direct use of standard interactive programs. |
| CDM-368859, CDM-362743 | QStar archive locations fail to connect after upgrading from CDM 8.0 to CDM 8.1 due to a webservice exception. |
| CDM-368755 | SDFS service getting restarted sometimes due to high number of threads being used. |
| CDM-368742 | VMware live mount/Export is failing for vSphere virtual machines that have UEFI with secure boot plus VBS enabled. |
| CDM-368576 | Microsoft Exchange incremental snapshots are taking a long time. |
| CDM-368068 | Db2 discovery failures. |
| CDM-367768 | Missing preMissingStatus causes diskCheckerPolicy to throw exception. |
| CDM-367612 | Node decommission failure. |
| CDM-367377 | The replication job is stuck after the completion of snapshot data replication. |
| CDM-366712 | SDFS service getting restarted sometimes due to high number of threads being used, resulting in job failures. |
| CDM-366551 | A live mount of a Windows virtual machine with secure boot fails with invalid virtual machine configuration. |
| CDM-366523 | Multiple ethtool interface settings causes the config file to be overwritten. |
| CDM-366398 | Standby discovery fails if customer uses IP address instead of hostname in hadr config files. |
| CDM-366224 | In log replication on the target cluster, user may see alerts stating that log retention is longer than snapshot retention, even when the location's full retention scope (local + archival) is longer than log retention. |
| CDM-366213 | Discovery and database backups started failing after upgrade. |
| CDM-365992 | VMware backup jobs become stuck on some nodes. |
| CDM-365927 | Multiple node staleness and reboot issues stemming from cockroachDB/cqlproxy unavailability. |
| CDM-365620 | Oracle backups failing with internal error RBK91210003 (Envoy.EnvoyNgGetLiveMountIPsByHostIDFailure) after upgrading to Rubrik CDM 8.0.x. |
| CDM-365613 | Replicated NAS Systems will have a status of Connecting. |
| CDM-365517 | Oracle Database backups failing with Encryption wallets in OKV with error "ORA-28407: Hardware Security Module failed after FW upgrade." |
| CDM-365274 | Snapshot were shown on source even though they are no longer present on the replication target. |

| Ticket | Issue |
|------------|--|
| CDM-364779 | Local SLA Domains not seen in UI even though they are created. |
| CDM-364750 | Uploads to S3 were failing due to large number of files in the temp directory. |
| CDM-364148 | Restore issue on Rubrik cluster. |
| CDM-363840 | Oracle log upload is very slow. |
| CDM-363242 | Unable to restore from archive location's rehydrated snapshot. |
| CDM-362893 | After upgrade to Rubrik CDM 8.0.2, old snapshots started getting uploaded. |
| CDM-362248 | The data snapshot job was stuck in FINISHING state. |
| CDM-361995 | SMB share discovery fails for certain NAS SMB Servers and those shares cannot be protected in Rubrik Security Cloud (RSC). |
| CDM-361863 | Oracle backups failing from cache refresh issue and no Oracle objects showing up on UI after upgrade to Rubrik CDM 8.0.3-p1. |
| CDM-361783 | Source cluster refresh job failed. |
| CDM-361650 | Disk WWN missing. |
| CDM-361490 | Upload job failing. |
| CDM-361434 | Oracle recoverable chains are not being established on replication target due to Oracle log replication lag. |
| CDM-361411 | DIMMs incorrectly reporting errors. |
| CDM-361260 | S3 archival location disconnected after a certificate error. |
| CDM-360169 | Upload jobs failing with vmgwareflatfile missing. |
| CDM-358656 | Fileset metadata fetch failing. |
| CDM-358363 | Upload job is unable to find any snapshots eligible for upload when only one of two MAL locations is not in connected state. |
| CDM-358035 | Incorrect endpoint used when searching through both Nutanix clusters and virtual machines. |
| CDM-357771 | The ssf reverse rules missing, but recover themselves, when envoy goes offline and online again, or new GetForwardConnection() is called). |
| CDM-357255 | hw_health report missing DIMM or PSU. |
| CDM-356764 | Log and db backup are failing due to Rubrik Backup Agent crashing. |
| CDM-356702 | Snapshots are retained on local for a larger duration than expected. |
| CDM-356350 | Unable to see the download menu option when downloading snapshot from archival. |
| CDM-355267 | Kernel panic at "tar" command during creating the support bundle due to compatibility issues in the driver. |
| CDM-354244 | \$spark user appears in audit logs instead of more information about Polaris User. |
| CDM-354098 | Cannot call read-only-CDM endpoints such as remove_disk / setup_disk. |
| CDM-351516 | Local admin password change fails. |
| CDM-351118 | Snapshots retained on local beyond the local retention configured in the SLA Domain. |

| Ticket | Issue |
|------------|--|
| CDM-349095 | When upgrading the Db2 version from V10.5 to V11.5 of an added Db2 instance, the discovery job started failing. |
| CDM-342591 | ACLs were not getting restored. |
| CDM-331262 | Customized role cannot manipulate the snapshot. |
| CDM-328726 | Downloaded log snapshots from S3 were eventually expired locally and had to be downloaded again. |
| CDM-328437 | Issues installing application agents. |
| CDM-308950 | When creating an SLA Domain within Manage Protection Wizard for NAS, the window disappears after the SLA Domain creation. |
| CDM-308256 | Log Backups are failing due to unable to switch archive log files at DB level but UI wrongly reports it as Internal Error message. |
| CDM-307691 | Export job failed due to exported virtual machine is invisible. |
| CDM-306778 | VolumeFilterDriver does not have enough input check and an invalid request from a user program can crash the driver. Since the driver runs in kernel, the driver brings the Windows system down. |
| CDM-305231 | SQL Server log replication jobs have misleading error messages when there are no log backups to pull from the source. |
| CDM-292937 | Host get operating system API is failing. |
| CDM-284781 | When an on demand SQL server batch backup job gets taken, the scheduled event from the prior scheduled batch backup job is left stale. |
| CDM-264240 | Batch recovery UI modal shows inconsistent set of virtual machines checked and selected. |
| CDM-358363 | Upload job is unable to find any snapshots eligible for upload when only one of two MAL locations is not in connected state. |

Version 8.1.1-p1 changes and fixed issues

Rubrik CDM version 8.1.1-p1 includes general security improvements, the changes listed below, and fixes to the following issues.

Version 8.1.1 changes

| Change | Description |
|--|---|
| Support for retention lock on SAP HANA | As of Rubrik CDM 8.1.1, retention lock is supported on SAP HANA. This functionality is managed through Rubrik Security Cloud (RSC). The <i>Rubrik Security Cloud User Guide</i> provides further details. |

Version 8.1.1 fixed issues

| Ticket | Issue |
|------------|--|
| CDM-370475 | Memory issues due to high inode utilization. |

| Ticket | Issue |
|------------|---|
| CDM-370370 | Replication fails for newly added SAP HANA databases after upgrade to Rubrik CDM 8.1.1. |
| CDM-369966 | Live Mount fails to create virtual machine, resulting in invalid configuration error. |
| CDM-368935 | Job failures on Rubrik cluster. |
| CDM-368859 | QStar web service exception. |
| CDM-368755 | SDFS service getting restarted sometimes due to high number of threads being used. |
| CDM-368742 | VMware virtual machine live mount/export is failing for virtual machines that have UEFI with Secure Boot plus VBS enabled. |
| CDM-368068 | Discovery failure. |
| CDM-366551 | A live mount of a Windows virtual machine with secure boot fails with invalid virtual machine configuration. |
| CDM-366523 | Multiple ethtool interface settings causes the config file to be overwritten. |
| CDM-366398 | Standby discovery fails if customer uses IP address instead of hostname in hadr config files. |
| CDM-366213 | Discovery and database backups failed after upgrade. |
| CDM-365927 | Multiple node staleness and reboot issues stemming from cockroachDB/cqlproxy unavailability. |
| CDM-365809 | Customer is not able to export their shares when they select recreate entire directory structure option. |
| CDM-365613 | Replicated NAS Systems will have a status of Connecting. |
| CDM-365517 | Oracle database backups failing with encryption wallets in OKV with error, "ORA-28407: Hardware Security Module failed after FW upgrade." |
| CDM-364779 | Local SLA Domains not seen in UI even though they are created. |
| CDM-364750 | Uploads to S3 were failing due to large number of files in the temp directory. |
| CDM-364148 | Internal error on Rubrik cluster. |
| CDM-363840 | Oracle log upload is very slow. |
| CDM-362743 | QStar locations in disconnected state after upgrading to Rubrik CDM 8.1.0. |
| CDM-361783 | Source cluster refresh job failed. |
| CDM-361650 | Disk WWN missing. |
| CDM-361411 | DIMMs incorrectly reporting errors. |
| CDM-357255 | hw_health report missing DIMM or PSU. |
| CDM-356350 | Customer is not able to see the download menu option in case of downloading snapshot from archival. |
| CDM-355267 | Kernel panic at "tar" command during creating the support bundle due to compatibility issues in the driver. |
| CDM-354098 | Rubrik Support user cannot call read-only-CDM endpoints such as remove_disk / setup_disk. |
| CDM-347742 | High latency in backup job. |

| Ticket | Issue |
|------------|--|
| CDM-306778 | VolumeFilterDriver does not have enough input check and an invalid request from a user program can crash the driver. |
| CDM-358363 | Upload job is unable to find any snapshots eligible for upload when only one of two MAL locations is not in connected state. |

Version 8.1.1 fixed issues

Rubrik CDM version 8.1.1 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|------------|--|
| CDM-365936 | Upgrade to Rubrik CDM 8.1.0 leaves SSF services in stopped state. |
| CDM-365498 | Db2 databases are getting incorrectly archived after upgrade to Rubrik CDM 8.1.0-p2. |
| CDM-365112 | Isilon has many interfaces, but only one is used, leading to performance issue. |
| CDM-363870 | Cannot snmpwalk Rubrik MIB OIDs. |
| CDM-363258 | Secure thrift backup stuck in incremental merge. |
| CDM-362746 | Full backups failing intermittently. |
| CDM-362215 | Unable to see organization management tab on gear icon, but able to navigate to page via URL. |
| CDM-361499 | After adding a node via Rubrik Security Cloud, the cluster shows a "Sync Delay". |
| CDM-361422 | vCenter refresh failure after upgrading to Rubrik CDM 8.1.0-p1. |
| CDM-361205 | Rubrik CDM discovery rejects any dynamic IP addresses expecting that the primary addresses will all be static. |
| CDM-360906 | Configured uploads to happen monthly, but daily uploads are still occurring. |
| CDM-360267 | PARALLELIZED_UPLOAD jobs will fail to upload index files. |
| CDM-359863 | Alert is sent for Basic Auth API calls. |
| CDM-359860 | Unable to set up unformatted disks. |
| CDM-359841 | Some expiry jobs are failing because of orphaned snapshots of child virtual machines on the cluster. |
| CDM-359644 | Consolidation/reverse jobs failing. |
| CDM-359211 | Archiving NAS DA workloads to RCV locations is not recommended. |
| CDM-359206 | Log replicate jobs failing. |
| CDM-359140 | Backup jobs are delayed. |
| CDM-359113 | Admin command line login failure for Rubrik CDM clusters with account lockout enabled |
| CDM-358759 | PARALLELIZED_UPLOAD jobs will fail to upload index files. |
| CDM-358647 | Rubrik CDM VMware pages should show protection SLA Domain instead of retention SLA Domain in the SLA Domain column. |
| CDM-358645 | Unable to override Retention lock checks on assignment workflows involving hierarchial objects and indirect assignments. |

| Ticket | Issue |
|---------------------------|---|
| CDM-358504 | Entitlement is lost causing Node Add failure. |
| CDM-358486 | An incorrect missed archival compliance icon appears on the UI despite the snapshot having uploaded to expected archival locations. |
| CDM-358043 | Rubrik CDM upgrade on E1000 platform from Rubrik CDM 8.0.x to Rubrik CDM 8.1.0 and Rubrik CDM 8.1.0-p2 fails with pre-check failure. |
| CDM-357517 | NAS discovery failing due to duplicate records. |
| CDM-356985 | Parallel upload jobs failing with error java.nio.file.NoSuchFileException. |
| CDM-356874 | Some disks appear in MISSING state post-upgrade. |
| CDM-356737 | Node addition is stuck in FINISHING state. |
| CDM-356706 | Parallel upload jobs failing with error java.nio.file.NoSuchFileException. |
| CDM-356379 | vmwareUuid field is exposed in GET v1/vmware/vm/virtual_disk/. |
| CDM-356368 | Customer receiving a lot of alerts triggered by health monitor policy 'InterfaceStatsChecker' post upgrade from Rubrik CDM 7.0.2-p4 to Rubrik CDM 8.0.2-p2. |
| CDM-356059 | Full upload is repeatedly done after every 5 days to the immutable RCV archival location. |
| CDM-355988 | Customer is seeing interfaceStatsChcker alerts after upgrade to Rubrik CDM 8.0.3. |
| CDM-355831 | Errors when expanding Azure cloud instance. |
| CDM-355806 | Advanced tags are not replicated and cannot be found in the replication target DB. |
| CDM-355729 | SnapDiff based backups are stuck forever. |
| CDM-355353 | Interstatschecker health-monitor can fail and raise alerts. |
| CDM-355263 | Customer is not able to SSH into the cluster using the admin credentials whereas the UI login with the same credentials work fine. |
| CDM-354919 | Slow downloads when recovering Microsoft Exchange data. |
| CDM-354874 | ARCHIVAL_MIGRATE_SNAPPABLE job was failing. |
| CDM-354341 | Fileset restore fails for archived filesets. |
| CDM-352675 | Error message, Failed to get response from RBA for Db2 instance db2d2u4d for operation 0f405539-25b8-4106-89be-5262026ff696-db2-instance-discover. |
| CDM-352654 | When customer add a node node in CDM cluster, envoy is not detecting the new node. |
| CDM-352506 | Bolt count was exceeding the limit set by customer. |
| CDM-352338, CDM-352147 | The users page on the Rubrik CDM does not load. |
| CDM-352316 | Customer's expiry jobs for child virtual machine's of VCD vApps started failing. |
| CDM-351261 | Policy 'InfluxDBArchive' displays the warning failure level - InfluxDB memory limit exceeded. |
| CDM-351084 | Customer snapshots were retained forever when virtual machines were moved to a tag set to Do Not Protect. |

| Ticket | Issue |
|------------|--|
| CDM-349881 | Failed to create new managed volume after decommissioning nodes and replacing them with new ones. |
| CDM-349761 | Archival refresh jobs stuck in UNDOING. |
| CDM-349427 | Database backup fails with `OracleInternalErrors.UnableToGetTimeFromSCN` when the database backup runs for a long time (more than 5 days). The failure is after the database backup script is complete. |
| CDM-349249 | Duplicate log files appear. |
| CDM-349091 | Log replication is failing because of blobstore too many contents because the log expiry job is failing on the replication target. |
| CDM-348790 | Oracle writing data into SSD instead of HDD causing it to get full |
| CDM-348474 | Auto discovery for NAS fails. |
| CDM-348395 | Snapshot uploads might have degraded performance if network throttling is enabled. |
| CDM-348079 | Archival migration fails for snapshots from an archival location which was connected as a reader and then promoted to owner. |
| CDM-347958 | Root partition is full causing SSF tunnel connection failure. |
| CDM-347907 | Nutanix NAS snapshot operation can fail and result in backup using live filesystem. |
| CDM-347749 | Customer is unable Clone/LM pre-upgrade recovery points for a CDB database. |
| CDM-347658 | During a cluster wide reboot the reference clock used to detect time shifts loses time against wall clock time while the subsystem that generates it is down. |
| CDM-346834 | The Rubrik CDM UI is showing a generic internal error message instead of an actual error message. |
| CDM-346690 | Full upload is repeatedly done on alternate days to the immutable RCV archival location. |
| CDM-346679 | Certain array volumes are not recognized as array volumes and virtual machines on those volumes cannot perform array integrated backups. |
| CDM-346067 | Manage Protection doesn't work on Rubrik Security Cloud NAS on netapp Systems older than 9.7 |
| CDM-345830 | Snmp message formate with headers into, [key=value, key=value...] message If any key or value as [] it will break the process. |
| CDM-345591 | VMware backup job failed. |
| CDM-345527 | Code error. |
| CDM-344974 | Virtual machine linking is broken. |
| CDM-344838 | During a cluster wide reboot the reference clock used to detect time shifts loses time against wall clock time while the subsystem that generates it is down. This causes an apparent timeshift which the system detects and alerts for. |
| CDM-344096 | Adding additional disks fails during setup for Cloud Clusters and Bolt. |
| CDM-343862 | Missing logs and database backups. |
| CDM-343002 | In files-only export, we miss creating log directories but the job is still successful. |
| CDM-342784 | If deleting a nas system fails, attempting to delete the nas system again may also fail. |

| Ticket | Issue |
|------------|--|
| CDM-342591 | ACLs were not getting restored. |
| CDM-342547 | Local retention value is not being taken into consideration for log backups when an archival location exists. Hence, log backups are being expired after they have been uploaded to archival location. |
| CDM-342494 | The logs are not getting deleted on the host according to the host log retention configuration. |
| CDM-342468 | SAP HANA log backups are timing out. |
| CDM-342372 | A service account without admin access is unable to delete its own session. |
| CDM-342315 | Oracle host is missing directory structure which causes failure during export. |
| CDM-341654 | It is by design to turn on the exported target vapp by default. So when there are powered-off virtual machines in target, they will be powered on along with the entire vapp. And select "manually power on option" can be a workaround. |
| CDM-341387 | Vcd instant recovery can fail intermittently when source virtual machine is no longer present in the vapp. |
| CDM-340762 | re-ip script fails while trying to perform an update on the node table(database) for the REMOVED node with the following cql query: delete from sd.node where cluster_id='cluster' and node_id=%(node_id)s |
| CDM-340467 | Disk marked as READY_TO_REMOVE. |
| CDM-340201 | Because of corruption in write of a patch file, the subsequent read of the same file failed which eventually resulted into job failure. |
| CDM-338766 | Discovery fails due to custom .profile at customer side. |
| CDM-338265 | For Oracle Restart setup, clone job succeeds but db_unique_name, oratab entry and instance name show mismatch. |
| CDM-335562 | Some workflows are showing previous SLA Domain name after existing SLA Domain is changes to Do Not Protect with snapshot retention option 'Preserve retention from previous SLA'. |
| CDM-335364 | Unmount might fail if the mounted virtual machine is migrated. |
| CDM-335135 | Migration job failed |
| CDM-334211 | Replicated Oracle db snapshots and recoverable ranges were not showing up on the target cluster UI for a particular database. |
| CDM-330799 | Agent server crashes during backup. |
| CDM-330309 | Has duplicate entries in oracle_rac and DG db backup jobs fail due to 2 primary databases. |
| CDM-328022 | A bug in the cascading archival validation logic. |
| CDM-325874 | Nodes remain in BOOTSTRAPPING state during node add. |
| CDM-318396 | Wrong SLA Domain name is shown. |
| CDM-317506 | Compliance alerts are generated for snapshots that are not expected to be archived. |
| CDM-316549 | virtual machine with btrfs on live mounted virtual machine fails to index. |
| CDM-310910 | Replication failure. |

| Ticket | Issue |
|------------|---|
| CDM-306520 | Inconsistency in Data Guard Group setting seems to be causing this issue. |
| CDM-303861 | Oracle Log backups failing with "ORA-01878: specified field not found in datetime or interval". |
| CDM-284189 | Creating ASM directories during live mount failed because the wrong GRID_HOME was used. |
| CDM-282259 | SQL server log backups stuck in CANCELING state with "Cannot find Mssql Dag with id = " signature. |
| CDM-269830 | the download icon for users with a restore role set to allow download of files does not display in the activity details of the virtual machine. |
| CDM-266393 | SQL Server exports, restores, and Live Mounts fail when the target database has a colon in the name. |

Version 8.1.0-p2 fixed issues

Rubrik CDM version 8.1.0-p2 includes general security improvements and the fixes listed in the following table.

| Ticket | Issue |
|--|--|
| CDM-359206 | Log replication jobs fail. |
| CDM-359140 | Job fetcher logs restart when a full vCenter refresh job is running delaying backup jobs. |
| CDM-358759 | Archive upload fails post migration or linking of virtual machines. |
| CDM-358486 | Archive upload icon showing failure despite successful upload. |
| CDM-358043 | Rubrik CDM upgrade from Rubrik CDM 8.0.x to Rubrik CDM 8.1.0 and Rubrik CDM 8.1.0-p2 on E1000 platform fails pre-checks. |
| CDM-355831 | Errors encountered when expanding Azure cloud instance. |
| CDM-355806 | Advanced tags are not replicated and cannot be found in the replication target database. |
| CDM-355353, CDM-356368, and CDM-355988 | Health monitor policy 'InterfaceStatsChecker' fails and raises alerts. |
| CDM-354341 | Fileset restore fails for archived filesets. |
| CDM-351261 | 'InfluxDBArchive' policy has hit the warning failure level. |
| CDM-348474 | Auto discovery for NAS fails. |
| CDM-348395 | Slow snapshot uploads may occur when network throttling is enabled. |
| CDM-347958 | Disabled SSF logs into syslog causing disk to fill and sends envoy into a disconnected state. |
| CDM-345830 | Intermittent service timeouts in SNMP monitoring system. |
| CDM-344974 | Virtual machine linking is broken for many virtual machines resulting in issues with backup, replication, and global search. |
| CDM-342494 | Archive logs are not deleted as per the assigned SLA Domain. |

| Ticket | Issue |
|------------|--|
| CDM-341654 | Powered-off virtual machines in target are powered on with the entire VMware vApp. |

Version 8.1.0-p1 fixed issues

Rubrik CDM version 8.1.0-p1 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|------------|---|
| CDM-346679 | Array volumes are not recognized as array volumes and virtual machines s on those volumes cannot perform array integrated backups. |
| CDM-349427 | Database backup fails with `OracleInternalErrors.UnableToGetTimeFromSCN` after the database backup script is complete when the database backup runs for more than 5 days. |
| CDM-352675 | Db2 instance refresh is failing due to db2nodes.cfg entry other than 'dbpartitionnum hostname logicalport'. |
| CDM-352316 | Expiry jobs for child virtual machines of Vcd Vapps started failing. |

Version 8.1.0 fixed issues

Rubrik CDM version 8.1.0 includes general security improvements and fixes to the following issues.

| Ticket | Issue |
|---------------------------|---|
| CDM-349688 | Upload jobs encountered a backward compatibility bug after the upgrade. The issue can be resolved by a one-time manual change to the configuration. |
| CDM-349091 | Log replication fails. |
| CDM-348790 | Oracle writes data into SSD instead of HDD causing space issues. |
| CDM-348216 | Node removal fails. |
| CDM-347749 | Unable to clone or live mount pre-upgrade recovery points for a CDB database. |
| CDM-346067 | Failure to assign SLA Domain to NAS shares from Rubrik Security Cloud (RSC). |
| CDM-345527 | Network IPMI Get-command fails. |
| CDM-345175 | Envoy NG registration failing as cluster web cert is signed by non-recognizable CA (Alpha SSL). |
| CDM-344096 | Failure to add disks during Cloud Clusters and Bolt setup. |
| CDM-343785 | DAG name, native id not being discovered. |
| CDM-342784 | Failure to delete an NAS system. |
| CDM-343427 | When user disables a policy, one of the nodes failed to disable (still in enabled state). |
| CDM-342566 | Snapshot uploads might fail. |
| CDM-341200, CDM-340762 | Re-IP script fails while trying to perform an update on the node table(database) for the REMOVED node with the following CQL query: delete from sd.node where cluster_id='cluster' and node_id=%(node_id)s. |
| CDM-341194 | Recovery failed because of missing logs. |
| CDM-340342 | SAP HANA redirected restore. |

| Ticket | Issue |
|------------|--|
| CDM-340190 | Creation of a checkpoint was failing because of which backups were failing for Hyper-V virtual machines. |
| CDM-340065 | A federated login user cannot see the mount events after a virtual machine live mount succeeds. |
| CDM-339143 | Backups are failing because backint can't read paramfile. |
| CDM-338766 | Db2 instance discovery fails. |
| CDM-338515 | Some earlier snapshot become unrecoverable. |
| CDM-338225 | Log backup and expiry jobs got stuck in Finishing because the database had a recoverable chain with an expired log snapshot. |
| CDM-338199 | Restore virtual machine failure. |
| CDM-337591 | After host ip change, customer unable to register the host. |
| CDM-337588 | SLA Domain assignment is failing for filesets. |
| CDM-337532 | Files-only Live Mount or Clone fails from the UI with the error , "PDB-level recovery cannot be performed for DBA-managed files-only Live Mount., when the chosen recovery point's database snapshot was taken before upgrade to Rubrik CDM 8.0. |
| CDM-337470 | Compared to Rubrik CDM 7.x, the behavior of the check_connectivity command changed for the default use cases. This was considered acceptable. But given the feedback, we will make further changes to bring back the legacy behavior. |
| CDM-337038 | Archival lag building up causing space issue. |
| CDM-336734 | Disk Status remains in PRE_REMOVAL for 3 days even after physically being replaced on-site. |
| CDM-336478 | Live Mount with a custom PFILE specified still uses the original SPFILE to restore. |
| CDM-336199 | brik_scripts that depend on rubrik_tool.py are not operational. |
| CDM-335646 | Failed attempts to add node to a Rubrik cluster. |
| CDM-335641 | add node failed due to error message IPMI user password can't set. |
| CDM-335523 | On Edge clusters, the health-monitor policies may not be running,. If the node has moved to BAD state, it remains in BAD state even if all the checks are working as expected. |
| CDM-335522 | Network check_connectivity needs to allow "nc"'s "-z" option. |
| CDM-335350 | Exchange DAG discovery fails when there is more than one DAG surfacing through Exchange connector queries for a single server. |
| CDM-335347 | Upgrade failed during staging after secondary partition was mounted in ImagingTask. Resuming the upgrade also failed |
| CDM-335318 | Superfluous check of datastore storage. |
| CDM-335303 | TCP Port 8011, required for deployments that include Rubrik Envoy, was open in a deployment that did not include Envoy. Fix provides a Rubrik CLI command to disable this port when Envoy is not needed. |
| CDM-335131 | Managed Volume backup fails and logs shows RouterFileCorruption. |
| CDM-335040 | The ntp_checker based policy runs with a timeout which when triggered (as here) prevents the normal clean up of generated files. |

| Ticket | Issue |
|------------|--|
| CDM-334913 | Backup started even when there wasn't enough space on the cluster to take a full backup of the virtual machine. |
| CDM-334266 | Customer unable to take Exchange database snapshots for databases with files under volume root. |
| CDM-334249 | Some custom reports stuck in 'updating' state. |
| CDM-334104 | DIMM errors detected on DIMM memory. |
| CDM-333968 | On Nutanix AHV, the task to check memory ballooning feature fails due to unsupported platform. Tool is only supported on VMware environment. |
| CDM-333951 | /opt/rubrik/src/scripts/forge/revert_hotpatch.sh not logging output. |
| CDM-333682 | SSFD sends multiple messages about the number of open files. |
| CDM-333316 | The static routes on vlan is not re-added back when resetting(remove followed by add) the vlan. |
| CDM-333269 | Backup directories not cleaned up when CREATE_ORACLE_SNAPSHOT jobs fail. |
| CDM-332839 | Oracle database backup failed when using secure thrift. |
| CDM-332517 | Log replicate jobs are lagging as they are not being scheduled and run promptly. |
| CDM-332502 | CloudOn fails for LDM snapshots. |
| CDM-332450 | Driving node crashed with a kernel panic while running BackupIpmiCredsTask during upgrade. |
| CDM-332341 | Some jobs automatically canceled when running on a failure node. |
| CDM-332099 | The cluster is getting "Periodic task failed" errors due to cockroach query times out. |
| CDM-331790 | In cases where the Samba server does not support SACL, the backup and restore fails. |
| CDM-331746 | After disk image upgrade, non-admin user with cliaccess role loses access as home directory doesn't exist. |
| CDM-331707 | Source cluster refresh jobs were failing due to Oracle SLA Domain log migration issues. |
| CDM-331617 | User management operations involving privilege escalation check may fail when the Rubrik CDM is in 'Hybrid mode'. |
| CDM-330772 | Jobs stuck on several nodes after upgrade. |
| CDM-330719 | Upgrade tool failure for Rubrik Support upgrade tool to undo ignore node for an unsuccessful upgrade. |
| CDM-330586 | Some custom reports stuck in 'updating' state. |
| CDM-330554 | Snapshot uploads might fail for full uploads with some snappable types. |
| CDM-330550 | Repeated InfluxDBCardinalityExplosion policy failure alerts are seen since the upgrade to Rubrik CDM 8.0.0-p2 |
| CDM-330546 | PARALLELIZED_STATS_UPDATER_GLOBAL job failure. |
| CDM-330360 | Cannot remove the legal hold on a snapshot for a virtual machine which was linked to another virtual machine. |
| CDM-330350 | Node reboot causes mounts to disappear. |
| CDM-330329 | When running an array integrated backup with NetApp storage array, the backup can fail to mount the cloned volume. |
| CDM-330307 | Support upgrade tool failure freezes. |

| Ticket | Issue |
|------------|--|
| CDM-330175 | Retention Lock disabled, but snapshots not expired or deleted. |
| CDM-330158 | Snapshot uploads may fail. |
| CDM-329654 | Oracle Solaris 10 u11 SPARC installation failure. |
| CDM-329504 | Many functions fail, including backup. |
| CDM-329478 | Stacked chart sent with email does not display the readable y-Axis value when all values in the dataset are zero. |
| CDM-329134 | Systems with more than 32GB physical memory will only display sizes in multiples of 16 in UI. |
| CDM-328448 | The agent server crashes impacting Fileset backup job. |
| CDM-328438 | Too many open files in SDFS. |
| CDM-328432 | Multiple nodes with parallel uploads enabled crash after upgrade to 8.0.0-p1. |
| CDM-328181 | Disks remain in PRE_REPAIR status even after being physically replaced. |
| CDM-328175 | Bare-metal restore fails at the volume copy stage. |
| CDM-328129 | No jobs run after custom hostname change if there are existing throttle jobs that still have the old hostname in the reference set. |
| CDM-327713 | CockroachDB compaction process triggered after upgrade exhausts available space in the CrDB partition, leading to CockroachDB failure. |
| CDM-327577 | The Oracle database backups are hung or take unusually long to finish. |
| CDM-327196 | vCenter full refresh takes over 2 hours to complete. |
| CDM-326277 | VMware backup job fails, but child job remains in RUNNING state and no further backups can be run against the object. |
| CDM-326270 | After installing Rubrik Backup Service (RBS) on HP-UX, the host addition to Rubrik CDM fails as RBS generates wrong certificates. |
| CDM-326050 | VMware backup fails with error message–The operation has been disabled by the guest operating system(err=20005). |
| CDM-325841 | After upgrade, Oracle log files grow rapidly and fill up the /var/log partition on the Oracle host. |
| CDM-324625 | Investigating relevance of CVE-2022-24785 for Rubrik CDM. |
| CDM-324098 | Duplicate gateway in routing table. |
| CDM-323694 | File-level recovery on archived snapshots with XFS partition crashes the node. |
| CDM-323162 | TypeScript export in Oracle 19 fails if the RMAN catalog has the same file names but different checkpoint System Change Numbers (SCNs). |
| CDM-323077 | Non-snake case configuration entries exist in the database. Configuration init entry does not exist in database for newly- added nodes. |
| CDM-322715 | Customer is not able to see Oracle RAC in the UI as a result of RAC discovery failure. |
| CDM-322699 | Large number of parallel writes in the CCES cluster results in a Rubrik CDM node going to PANIC state as a result of going out-of-memory (OOM), leaving the node unusable. |
| CDM-322579 | A recoverable chain break periodically compromises Recovery Point Objective (RPO). |
| CDM-322240 | "Make Primary" doesn't automatically refresh the host leaving it "Connected as Secondary". |

| Ticket | Issue |
|------------|---|
| CDM-322011 | Quicksilver task fails. |
| CDM-321625 | Cockroach restarts due to crashes. |
| CDM-321286 | Recovery attempts of VMware virtual machine fail after upgrade to Rubrik CDM 8.0 with error "requirement failed: Standalone ESX host should contains only 1 DataCenter 2 found". |
| CDM-321278 | Upload jobs to S3-compatible object store location fails as target doesn't allow file overwrite. |
| CDM-320983 | Increase in alert cases. |
| CDM-320923 | The node add job proceeds with auto-installing when there is no sd-reset. on customer's cluster. |
| CDM-320807 | Running "Launch on Cloud" fails with the error "Failed to launch ussvahc219's snapshot on S3:imerys-naa-s3-rubrik" for snapshots taken before VMware host was moved from one vCenter to another. |
| CDM-320244 | Multiple entries discovered for the Data Guard databases. |
| CDM-320228 | Failure in determining the last snapshot information that resulted in backups being blocked. Issue last seen in Rubrik Air. |
| CDM-319993 | Upload jobs fail. |
| CDM-319476 | Spelling error in log message. |
| CDM-319137 | Overnight changes in AIX backup speed. |
| CDM-318790 | Files on the network path are followed inspite of being disabled. |
| CDM-318786 | Large database backups fail owing to insufficient file handle resources. |
| CDM-318754 | SAP HANA backups fail after upgrade. |
| CDM-318172 | User is unable to live mount a Virtual Machine snapshot on a compute cluster with ESX subnets configuration set when the ESX hosts in the vCenter are reachable through different network interfaces from the Rubrik CDM. |
| CDM-317871 | ArchivalSupportTool does not work after upgrade to Rubrik CDM 6.0.3-p2+. |
| CDM-317857 | Reduced storage usage on target. |
| CDM-317764 | Database backups fail with num datafiles mismatch issue. |
| CDM-317506 | Compliance alerts generated for snapshots that are not expected to be archived. |
| CDM-317225 | Customer receives regular alerts for a periodic task failure after edge cluster upgrade. |
| CDM-317080 | Replicated jobs missing in job instances report. |
| CDM-316967 | Envoys have known quote issue causing ssf-client to restart at a constant interval of 5 minutes. |
| CDM-316928 | Incorrect assertion that all parts of the patch file have been tiered back. |
| CDM-316920 | Decommission undo job does not include archived node causing job to throw exception. |
| CDM-316913 | VMware export job fails. |
| CDM-316899 | Multiple backup failures on node as a result of too many open files. |
| CDM-316744 | Powering off the cluster from command line powers off removed nodes. |
| CDM-316743 | The customer is unable to upgrade two Rubrik CDM SLA Domains that protect a vSphere object. |

| Ticket | Issue |
|---------------------------|--|
| CDM-316586 and CDM-316050 | Only hot tier files are considered as target for performing necessary steps to be eligible to tier. |
| CDM-316063 | Replication fails on customer setup. |
| CDM-316035 | Fileset backups often failing on HP-UX host. |
| CDM-316031 | NAS share lists on the UI in disconnected status. |
| CDM-315836 | Inability to restore files on one Windows 2022 host. |
| CDM-315811 | Customer backups do not resume even after disabling quota settings associated with the organisation. |
| CDM-315790 | Adding node to AWS cloud cluster fails. |
| CDM-315108 | Consolidation job fails. |
| CDM-315069 | Indexing job runs long for a given Windows virtual machine causing the node crash. |
| CDM-314866 | Bare Metal Restore (BMR) operation fails with 'Invalid offset' error when creating partition. |
| CDM-314820 | Pre-upgrade check fails for SMB-based Managed Volumes. |
| CDM-314815 | Recoverable chain is broken after switchover. |
| CDM-314244 | Unsecure use of /tmp directory in agent RPM scriptlets. |
| CDM-314116 | Log backup fails for a secure-thrift enabled Data Guard group. |
| CDM-313932 | Two custom reports "STG - Capacity Report - Now" and "STG - Cap Over Time - Global - 1 Week" do not work. |
| CDM-313486 | Unable to clone a database to point in time in December due to timezone issues. |
| CDM-313370 | Replication job stuck in finishing while exposing a snapshot. |
| CDM-313083 | Seeing NoCurrentChainForDagException message during log replication. |
| CDM-312996 | When customer uses CA signed web cert, envoy registration failed. |
| CDM-312799 | Log backup jobs for dbs on a RAC were stuck preventing the next log backup job from running. |
| CDM-312595 | All Oracle pages in the UI appear blank. |
| CDM-312593 | The customer sees an event saying "Starting Live Mount ..." when a log mount is run. |
| CDM-312309 | Backup and Export jobs are blocked on the cluster. |
| CDM-312103 | Customer want to see object showing as "Do Not Protect" SLA Domain when they change SLA Domain to "Do Not Protect". |
| CDM-311984 | If a hyperv host transitions to a NON hyperv host due to some transient issue on the host side, the identity of the virtual machines hosted on that and later migrated may be lost. That can create duplicate entries. |
| CDM-311919 | "Edit SLA Domain" is disabled when "archived redo log retention" is selected in the Edit SLA Domain wizard. |
| CDM-311915 | Upgrade failing in preparing state. |
| CDM-311912 | Customer wants ICMP timestamp packets to be blocked by Rubrik CDM nodes. |
| CDM-311771 | Entries with Saturday-Sunday schedule-override will be impacted. |

| Ticket | Issue |
|------------|---|
| CDM-311766 | The customer had questions about how the SLA Domain is inherited if a non-Data Guard database becomes a Data Guard database. |
| CDM-311716 | Download failure during rehydration of patch files |
| CDM-311388 | No I/O graphs on system page |
| CDM-311319 | In rare instances after `sqlcmd` is killed externally, a log shipping configuration gets stuck trying to replay the same log backups over and over. |
| CDM-311265 | Registration of Isilon NAS host running OneFS 9.4.x fails. |
| CDM-311135 | EXPIRE jobs on QStar location were getting stuck. |
| CDM-311133 | Fileset backup fails at the last stage of backup when connectivity with host is intermittent. |
| CDM-310911 | Proxy deploy fails causing backup to fail. |
| CDM-310880 | Inability to delete snapshots from read-only locations. |
| CDM-310402 | Replication job for SAP HANA databases remain in FINISHING state resulting in failure to replicate recent data for the respective databases. |
| CDM-310386 | Multiple socket/FIFO files throw errors. |
| CDM-310325 | Cloud incremental conversion job fails with error message, "Failed to apply cloud dependencies for OS Disk". |
| CDM-309783 | Clone fails when recovering a point-in-time snapshot. |
| CDM-309585 | SLA Domain assignment to a virtual machine folder or datacenter with too many child objects in it is unresponsive. |
| CDM-309579 | tmp partition increases beyond threshold owing to .fmd files. |
| CDM-309348 | Intended error message was blocked and not propagated into the log. |
| CDM-308810 | Upgrade to 7.0.1-p2 with smooth node add fails owing to failure to extract tarball and trigger install. |
| CDM-308451 | Data Guard switchover/failover results in break in recoverable chain. |
| CDM-308437 | Local change to hw_health scripts get overwritten on daily basis on pre-staged cluster. |
| CDM-308072 | Command line cluster reboot node command does not work on pre-bootstrapped node. |
| CDM-308071 | The add_node command is platform sensitive and asks only for management network information. |
| CDM-308035 | Cloud incremental conversion job fails with error message, "Failed to apply cloud dependencies for OS Disk". |
| CDM-307809 | RegEx expression fails while reading OS version from file for RedHat versions 8.5+, as a result of change in format. |
| CDM-307671 | Error message, "Current user does not have sufficient privileges to perform this operation" appears irrelevantly. |
| CDM-307547 | Existing snapshot retention options are unavailable for "Do Not Protect" and "Clear Existing Protection". |
| CDM-307536 | Hyper-V backup fails if the host has more than one interface. |
| CDM-307007 | All Paths Down state triggered on vSphere resulting in "Lost connectivity to storage device" alerts. |

| Ticket | Issue |
|------------|---|
| CDM-306856 | Custom report generation fails. |
| CDM-306778 | Invalid application requests can result in the Rubrik Backup Service (RBS) going down. This was caused by the VolumeFilterDriver module on the RBS agent not having sufficient input checks. |
| CDM-306307 | Archival restore from Amazon S3 Glacier storage classes fail. |
| CDM-306216 | Oracle log deletion failure event does not have an associated notification email. |
| CDM-305148 | The restore job could be stuck as soon as it tries to go to running state. |
| CDM-304875 | No successful backup for virtual machine. |
| CDM-302779 | Out of space errors due to high inode utilization as a consequence of Bazel files that are generated by certain pex scripts. |
| CDM-302209 | A regression bug happened in health monitor code. That prevented the correct monitoring of network interface events on bond1. |
| CDM-300421 | Restoring an mssql database with a recovery point containing the log fails with ContentDoesNotExist. |
| CDM-298027 | Some replication jobs that are not processed by JFL and will be in a QUEUED state well beyond its start time. |
| CDM-294641 | Snapshot sometimes includes blacklisted paths such as /proc. |
| CDM-292028 | Oracle host log deletion fails sending warning events and retrying for 7 days. |
| CDM-288969 | Node add fails when the cluster default gateway is not set on the management network, but on the service VLAN. |
| CDM-287070 | The Fileset and MSSQL restore job are slower than usual if a large number of files are being restored. |
| CDM-280874 | IPMI firmware upgrades from version 3.70 to 3.92, and from version 3.92 to version 4.0.2, result in port 80 becoming available on the Rubrik cluster. The fix provides new firmware binaries to Rubrik CDM. |
| CDM-278983 | Node are discovered with bond1, we accept this initially, but fail at later stage due to bond0 connectivity issue. |
| CDM-275477 | Exceptions seen during crypt unlock were not handled properly, due to which node-monitor was crashing every time any exception happened during crypt unlock. |
| CDM-274656 | Incremental backups fail sometime with NumDatafilesMismatch error. |
| CDM-274102 | Index jobs are getting stuck on a specific node. |
| CDM-248612 | Indexing issues can cause spurious Radar alerts. |
| CDM-246156 | Some jobs that were running on a removed or renamed node were not getting cleaned up on other nodes. |
| CDM-242117 | VMware virtualization based security setting removed on Live Mount and export. |
| CDM-239858 | VMware restore failed when vSphere virtual machine has latency-sensitive flag. |
| CDM-199983 | Customer's virtual machines experience frequent virtual machine backup job scheduling and cancellation. |
| CDM-193808 | File restore failures. |

Technical notes

The notes in this section provide specific information related to features in Rubrik CDM version 8.1.x.

Deprecated support for new disk-based Rubrik Cloud Cluster deployments

New deployments of disk-based Rubrik Cloud Cluster on AWS and Azure are deprecated as of Rubrik CDM 8.1.0. All new AWS and Azure clusters should be deployed as Rubrik Cloud Cluster - Elastic Storage.

Automatic recoverability support for Cloud Cluster Elastic Storage

Rubrik CDM 8.1.3-p1 adds support for automatic recoverability for Cloud Cluster Elastic Storage (CCES) . With this feature, CCES metadata is automatically uploaded to your CCES bucket. The immutability feature must be set to ON to take advantage of this feature.

IMDSv2 required for AWS Cloud Cluster

All instances of AWS Cloud Cluster running on Rubrik CDM versions 8.1.3 and higher now use Instance Metadata Service Version 2 (IMDSv2). The *Rubrik CDM Cloud Cluster Setup Guide* provides further details.

Rubrik CDM 8.1.1 API Changelog

The internal and v1 Rubrik CDM REST API paths have several changes in Rubrik CDM version 8.1.1.

Changelog for internal endpoints

In Rubrik CDM 8.1.1, the Rubrik CDM REST API has additions and changes for endpoints on the "internal" path.

Feature additions and improvements

- Added new optional field `vmwareUuid` to `VirtualDiskSummary`. This impacts the `GET /vmware/vm/virtual_disk` endpoint.
- Added a new field `naturalId` to the object `HypervVirtualMachineDetail` used by `GET /hyperv/vm/{id}`.

Changelog for v1 endpoints

In Rubrik CDM 8.1.1, the Rubrik CDM REST API has additions and changes for endpoints on the "v1" path.

Feature additions and improvements

- Added new endpoint `POST /sap_hana/db/snapshot/download/{snapshot_id}/{location_id}` to download a SAP HANA snapshot from the remote location.
- Added `VirtualDiskSummary` in `VirtualDiskDetail`. This adds 2 optional fields `vmwareUuid` and `vmName` in `VirtualDiskDetail` and impacts the `GET /vmware/vm/virtual_disk/{id}` endpoint.

Rubrik CDM 8.1.0 API Changelog

The Rubrik CDM REST API paths: internal, v1,v2, and v3 have several changes in Rubrik CDM version 8.1.0.

Changelog for internal endpoints

In Rubrik CDM 8.1.0, the Rubrik CDM REST API has additions and changes for endpoints on the "internal" path.

Breaking Changes

- Updated HTTP response code for endpoint `POST /snapshot/expire` to 204 from 202 to stop returning expiry job ID.
- Removed `keyRecovery` field from the `KeyRotationOption` object as key recovery has been deprecated.

Feature additions and improvements

- Added a new optional field `shouldSkipDropDbInUndo` to the object `ExportOracleDbConfig` used by `POST /oracle/db/{id}/export`.
- Added a new field `nicsInSnapshot` to the object `NutanixVmSnapshotSummary` used by `GET /nutanix/vm/snapshot/{id}`.
- Added a new field `hostId` to the object `OracleHostSummary` used by `GET /oracle/host`.
- Added a new field `hostId` to the object `OracleNodeProperties` used by `GET /oracle/rac`.
- Added new optional fields `nicNetworkUuids` and `keepMacAddresses` to `NutanixVmExportSnapshotJobConfig` object. This impacts the `POST /nutanix/vm/snapshot/{id}/export` endpoint.
- Added a new optional field `isResizable` to `DiskInfo` object used by `NodeInfo` object.
- Added a new optional field `provisioningCode` to `ObjectStoreLocationSummary` object used by other objects `ObjectStoreLocationDefinition` and `ObjectStoreLocationDetail`.
- Added new string enum `IbmInstanceType` with valid values including `Vault`, `Container`, and `Cloud`.
- Added a new optional field `ibmCosInstanceType` to `ObjectStoreLocationSummary` object used by `ObjectStoreLocationDefinition` and `ObjectStoreLocationDetail` objects.
- Added a new optional query parameter `search_query_type` to `GET /search` and `GET /search/snapshot_search`.
- Added a new field `archivalThrottlePort` to `NetworkThrottleSummary` and `NetworkThrottleUpdate` to specify the network port used for archival throttling. This impacts the `GET /network_throttle` and `PATCH /network_throttle/{id}` endpoints.
- Added new endpoint `PATCH /cluster/{id}/vlan` to update configuration of an existing VLAN on CDM.
- Added new optional field `sectionSizeInGb` to the `OracleDbDetail` object returned by the `GET /oracle/db/{id}` and `PATCH /oracle/db/{id}` endpoints.
- Added a new optional field `sectionSizeInGb` to the object `OracleUpdateCommon` used by `PATCH /oracle/rac/{id}`, `PATCH /oracle/host/{id}`, `PATCH /oracle/db/{id}`.

Changelog for v1 endpoints

In Rubrik CDM 8.1.0, the Rubrik CDM REST API has additions and changes for endpoints on the "v1" path.

Feature additions and improvements

- Added new optional field `vmwareUuid` to `VirtualDiskSummary`. This impacts the `GET /vmware/vm/virtual_disk/{id}` endpoint.

- Added new optional field `instanceUuid` to `VirtualMachineSummary`. This impacts the `GET /vmware/vm/{id}` endpoint.
- Added a new event type `LogBackup`. This impacts `GET event/latest` and `GET /event/csv_download_link` endpoints.
- Added new optional fields `nicNetworkUuids` and `keepMacAddresses` to `NutanixVmMountSnapshotJobConfig` object. This impacts the `POST /nutanix/vm/snapshot/{id}/mount` endpoint.
- Added new endpoint `POST /cluster/{id}/test_snmp_trap_receivers` to send a dummy trap to all configured SNMP trap receivers.
- Added new endpoint `GET /exchange/db/` to retrieve summary information about Microsoft Exchange databases.
- Added new endpoint `GET /exchange/db/{id}/mount` to retrieve summary information about the Live Mounts for a Microsoft Exchange database.
- Added new endpoint `GET /exchange/db/mount` to retrieve summary information about the Live Mounts for Microsoft Exchange databases.
- Added new optional field `shouldEnableHighFileCountSupport` to `PATCH /oracle/db/{id}` and `PATCH /oracle/data_guard_group/{id}` endpoints.
- Added a new endpoint `POST /cluster/{id}/re_ip` to initiate an operation to update IP configurations of a Rubrik cluster node.
- Added a new endpoint `GET /cluster/{id}/re_ip` to get the status of the re-ip operation that updates the IP configurations of a Rubrik cluster node.
- Added new endpoint `POST /mongo/source` to add a MongoDB source to the Rubrik Cluster.
- Added new endpoint `PUT /mongo/source/{id}` to update the MongoDB source on the Rubrik Cluster.
- Added new endpoint `DELETE /mongo/source/{id}` to delete a MongoDB source from the Rubrik Cluster.
- Added new endpoint `PATCH /mongo/source/{id}` to edit the MongoDB source on the Rubrik Cluster.
- Added new endpoint `POST /mongo/source/{id}/discover` to start an on-demand discovery of the MongoDB source on the Rubrik Cluster.
- Added a new endpoint `GET /mongo/source/request/{id}` to get the details about an asynchronous request related to a MongoDB source on the Rubrik Cluster.
- Added a new endpoint `GET /db2/db/{id}/recoverable_range` to get recoverable range information for a Db2 database.
- Added new endpoint `DELETE /sap_hana/db/{id}/downloaded_snapshots` to expire downloaded SAP HANA database snapshots from rehydrated location.
- Added new field `hostNames` to `Db2InstanceSummary` object to specify names of hosts associated with the Db2 instance. This impacts the responses from the `GET /db2/instance/{id}` and `GET /db2/instance` API endpoints.
- Added new endpoint `POST /db2/db/snapshot/{snapshot_id}/{location_id}/download` to download a Db2 database snapshot from an archival location.
- Added new endpoint `POST /db2/db/{id}/recoverable_range/download` to download Db2 database snapshots from archive for a point in time recovery.
- Added new endpoint `DELETE /db2/db/{id}/downloaded_snapshots` to expire downloaded Db2 database snapshots from rehydrated location.
- Added new endpoint `GET /db2/db/{id}/snapshot` to return a list of Db2 database snapshots.
- Added new fields `registeredMode` and `rubrikUrl` to `ClusterInfo` object to specify the mode of registration and RSC URL of the Rubrik Cluster. This impacts the responses from the `GET /cluster/{id}` API endpoint.
- Added new endpoint `POST /fileset/bulk/nas` to bulk create fileset for RSC NAS.
- Added new endpoint `POST /config_protection/setup` to set up config protection of the Rubrik cluster.
- Added new optional field `shouldPauseImmediately` to `EnablePerLocationPause` object to specify whether replication jobs are paused immediately without losing progress when per location pause is enabled.

- Added new optional field `datastoreClusters` to `VmwareHierarchyInfo` object to provide datastore cluster details for VMware hierarchy object.
- Added new endpoint `GET /config_protection/setup` to retrieve configuration protection setup on the cluster.
- Added new endpoint `GET /nutanix/cluster/{id}/network` to list all the networks present on the Nutanix cluster.
- Added new endpoint `POST /mongo/collection/assign_sla` to assign SLA Domain to MongoDB collection objects.
- Added new endpoint `DELETE /config_protection/setup` to delete configuration protection setup on the cluster.
- Added new optional field `sectionSizeInGb` to the `OracleDbDetail` object returned by the `GET /oracle/db/{id}`, `PATCH /oracle/db/{id}`, and `PATCH /oracle/data_guard_group/{id}` endpoints.
- Added a new optional field `sectionSizeInGb` to the object `OracleUpdateCommon` used by `PATCH /oracle/rac/{id}`, `PATCH /oracle/host/{id}`, `PATCH /oracle/db/{id}`.
- Added new optional field `hadrDatabaseIds` to `Db2InstanceSummary` object to specify the IDs of HADR databases associated with the Db2 instance. This impacts the responses from the `GET /db2/instance/{id}` and `GET /db2/instance` API endpoints.
- Added new endpoint to retrieve summary of a Db2 database: `GET /db2/db/{id}`.
- Added new optional field `hadrMetadata` to the `Db2DatabaseSummary` object to specify additional information in case of an HADR database. `hadrMetadata` will have the information related to instance IDs on which this HADR database is running and its HADR role on these instances. This impacts the responses from the `GET /db2/db/{id}` and `GET /db2/db` API endpoints.
- Added new optional `databaseType` to `Db2DatabaseSummary` object that specifies whether the database is standalone, partitioned, or HADR. This impacts the responses from the `GET /db2/db/` and `GET /db2/db/{id}` API endpoints.
- Added a new endpoint `POST /db2/db/{id}/refresh` to initiate an on-demand refresh of a Db2 database.
- Added a new endpoint `DELETE /db2/db/{id}` to initiate deletion of a Db2 database.
- Added a new optional query parameter `max_wait_seconds` to API endpoint: `GET /event`.
- Added new optional field `targetClusterName` to the `RestoreFormConfigurationReplicationTarget` object to specify replication target cluster name. This impacts the `POST /config_protection/restore_form` and `POST /config_protection/restore` API endpoints.
- Added new optional fields `storageClass` and `cloudRehydrationSpeed` to the `RestoreFormConfigurationS3ArchivalLocation` object to specify storage class and retrieval speed, respectively. This impacts the `POST /config_protection/restore_form` and `POST /config_protection/restore` API endpoints.

Changelog for v2 endpoints

In Rubrik CDM 8.1.0, the Rubrik CDM REST API has additions and changes for endpoints on the "v2" path.

Feature additions and improvements

- Added new optional field `shouldMigrateImmediately` to `createMountV2` to specify whether to create and schedule a VMware datastore migration job immediately when Live Mount succeeds.
- Added new optional field `migrationConfig` to `createMountV2` to specify the target storage location and optional virtual disk mapping for datastore migration job.
- Added new endpoint `POST /vmware/vm/mount/{id}/relocate` to migrate a Live Mount or Instant Recovery virtual machine with datastore cluster and virtual disk mapping support.

Changelog for v3 endpoints

In Rubrik CDM 8.1.0, the Rubrik CDM REST API has additions and changes for endpoints on the "v3" path.

Feature additions and improvements

- Added new endpoint `POST /vmware/vm/{id}/export` to export a virtual machine snapshot with datastore cluster and virtual disk mapping support.

Compatibility Matrix

See the *Rubrik CDM Compatibility Matrix* for information about features, requirements, and compatibility for Rubrik CDM software.

Support

Use one of the following methods to contact Rubrik Support.

| | |
|-------|---------------------------------------|
| Web | Rubrik Support Portal |
| Phone | Contact numbers |

Comments and suggestions

We welcome your comments and suggestions about our products and our product documentation.

Products

To provide comments and suggestions about our products contact Rubrik Support, as described in [Support](#).

Product documentation

To provide comments and suggestions about the product documentation, send an email to: techpubs@rubrik.com.

To help our writers identify the area that you are referencing, include the following requested information.

For HTML documentation, include:

- Page title
- Page address
- Page date

For PDF documentation, include:

- PDF title
- Part number
- Revision
- Relevant page numbers

Legal Notices

Copyright

Copyright © 2023 Rubrik Inc.

All rights reserved. This document may be used free of charge. Selling without prior written consent is prohibited. Obtain permission before redistributing. In all cases, this copyright notice and disclaimer must remain intact.

THE CONTENTS OF THIS DOCUMENT ARE PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

Trademarks



Registered in the U.S. Trademark Office

Rubrik, the Rubrik graphic, and Datos IO are registered trademarks of Rubrik, Inc. in the U.S. and other countries.

Sensitive Data Monitoring Legal Notices

By using the Sensitive Data Monitoring application, you understand and acknowledge that the pre-existing Policies and Analyzers of Sensitive Data Monitoring contain general suggestions for data elements and formats based on common data sets and formats. The suggested data elements and formats in Sensitive Data Monitoring are not intended to be a comprehensive or exhaustive list of data elements and formats regulated by the GDPR, CCPA or any other applicable laws and regulations. We also do not guarantee that your Sensitive Data Monitoring search results will include every instance of each data element and format within your data set. We strongly recommend that you consult legal counsel for specific advice regarding compliance with applicable laws and regulations.

Sensitive Data Monitoring is designed to assist customers with identifying certain data elements and formats and should not be solely relied upon to identify all data elements and formats of a certain type for any purpose, including legal or compliance.